

DistriMosaic

LINEA FLEX

Significantly lighter than normal ceramic tiles, the new product also reduces the burden on buildings, beginning to offer a safe use experience. Introducing its superior technology in various areas, this special ceramic, with its unique characteristics, is also being used in different spaces such as kitchen counters, bathrooms, and home furnishings.

It is one of the largest, thinnest, lightest, most functional, and special porcelain ceramics in the world.



LINEA FLEX

THE FUTURE HAS
BEGUN

Features

Everything that must know on a ceramic tile and more.
Designed to shape the architecture of the future, equipped with superior features to ensure flawless performance in any condition.



WEIGHT

A 3mm-thick slab weighs 7kg/sqm while a 5mm-thick slab weighs 11.5kg/sqm.



FLEXIBILITY

The convex flexibility radius of a 3mm-thick slab is 5.5m.



FIRE RESISTANCE

Is totally fire resistant and non-flammable.



FROST RESISTANCE

The surface is equipped with advanced technology to accommodate various climate conditions. It maintains its durability against sudden changes in heat and frost.



EASE OF CLEANING

Has a smooth surface on which dirt does not accumulate. If required it can be cleaned with water and known cleaning agents.



ANTI-GRAFFITI

Easy to wipe and clean pollutants like crayon, graffiti, permanent marker, board marker.



CHEMICAL RESISTANCE

Resistant to chemicals (acids and bases) due to its porcelain ceramic structure and glaze layer on its surface.



CUTTING

It can be cut with standard glass, ceramic cutters and computer controlled automatic cutting machines in the required dimensions.



DRILLING

Can be drilled with glass drills as well as with other automatic drilling devices.



PHOTOCATALYTIC

Is photocatalytic thanks to its Nano-tech coating surface. Linea Flex cleans itself with rain and sunlight.



HYGIENIC

Protects both outdoor and indoor, even in poorly lit environment. Hygienic; resistant to bacteria, mould and fungus. The antibacterial feature is approved by TÜBİTAK. (The Scientific and Technological Research Council of Turkey)



ECO-FRIENDLY

Produced with an environmentally-friendly technology, has the Ecospecifier certificate. The gas and dust emission of Linea Flex is 20 times less, and CO2 emission is 1000 times less, than those of traditional ceramic production processes.

*The specified weights reflect average values and may vary depending on the product.

Thicknesses

Manufactured with 6.5mm, 6mm, 5mm, and 3mm thickness alternatives it effortlessly adapts to different areas of use.

6mm / 0,24 inch

5mm / 0,20 inch

3mm / 0,12 inch

Sizes

Dimensions change, but quality remains the same. Turkey's largest thin slab allows for comfortable architecture with its standard dimension alternatives of 100x300cm and 120x360cm. It may be cut and installed in any size as required by a project. Detailed information on the sizes is available in the table on page 118.

120x360cm / 48x144 inches Standard Size



Cut Dimension Alternatives of 120x360

120x180cm / 48x72 inches, 120x120cm / 48x48 inches, 60x360cm / 24x144 inches, 60x180cm / 24x72 inches, 60x120cm / 24x48 inches and 25x50cm / 10x20 inches

100x300cm / 40x120 inches Standard Size

Cut Dimension Alternatives of 100x300

100x150cm / 40x60 inches, 100x100cm / 40x40 inches, 50x300cm / 20x120 inches, 50x150cm / 20x60 inches, 50x50cm / 20x20 inches and 25x50cm / 10x20 inches



*Fiberglass may be applied behind the products if desired.

Surfaces



Manufactured with two different surface alternatives: matte and polished.



Matte surface



Polished surface

Areas of Usage

Superior features, extensive areas of use.

Designed to shape the architecture of the future, with its superior characteristics, it is very different from conventional ceramics. Due to its light and slim shape, it is an ideal choice for building exteriors, and its robust structure makes it resistant to different weather conditions. Their modern appearance, their large dimensions that reduce the number of joint lines, and the wide range of colors make these tiles an indispensable part of any interior, adding value to life in various living areas, including shopping malls, offices, stations metro, homes, and restaurants.



The ultimate in ceramics.

An indispensable material used for a unique architecture, ceramics introduces a completely new aspect to modern life. Noting for its light and flexible shape, ease of cutting, and durable surface, it goes beyond conventional areas of ceramic use. This special ceramic presents a functional and minimalist use since it can be integrated into tables, bathrooms, and kitchen countertops, taking shape according to the dreams of all professionals and decoration enthusiasts.





PRODUCTS



MARBLES

Travertino



MARBLES

MATTE SURFACES




Palissandro*
Number of Faces: 4



Limestone
Number of Faces: 1



Calacatta 2.0
Number of Faces: 3



Statuario Structured
Number of Faces: 3



Zebrino
Number of Faces: 3



Surface



Structured



Gleaming



Thickness



Thickness



Slight Variation



Wall



Floor



Indoor



Outdoor



Facade



Commercial

100x300cm / 40x120 inches
120x360cm / 48x144 inches
*Gleaming Surface

MARBLES

MATTE SURFACES



Travertino Classico
Number of Faces: 1



Crema Marfil
Number of Faces: 2



Alameda
Number of Faces: 3



Winterland*
Number of Faces: 4



Calacatta Gold*
Number of Faces: 3



Olimpo*
Number of Faces: 4



Asteroid
Number of Faces: 5



Pulpis 2.0
Number of Faces: 3



Mocha Perla
Number of Faces: 2



Travertino*
Number of Faces: 3



Emperador*
Number of Faces: 3

100x300cm / 40x120 inches
120x360cm / 48x144 inches
*Gleaming Surface

100x300cm / 40x120 inches
120x360cm / 48x144 inches
*Gleaming Surface

TRANSLUCENT




Translucent Onyx
Number of Faces: 2

Named after the translucent gemstone, the Onyx series brings a new perspective to architecture. An elegant and durable solution for interior and exterior surfaces, Onyx also becomes an ideal decorative element when used with backlighting. Turn various surfaces into timeless designs with Onyx's captivating natural look.



MARBLES

POLISHED SURFACES



Calacatta Ice
Number of Faces: 1



Winterland
Number of Faces: 4



Calacatta Gold
Number of Faces: 3



Olimpo
Number of Faces: 4



Asteroid
Number of Faces: 5



Surface



Thickness



Slight Variation



Wall



Floor



Indoor



Outdoor



Facade



Commercial

100x300cm / 40x120 inches



STONE

Piasentina Grey Polished

STONE

MATTE SURFACES

Infinite surfaces, unconventional buildings.


Offering a natural look, deep embossed structure, and a rich selection of colors. Manufactured using the Divario double-charged system. No printing technique is used, which ensures that a unique pattern and color combination is featured in each ceramic slab. Every stone slab is manufactured faster than similar ceramic slabs and secures maximum performance in high traffic areas.



Piäsentina Grey



Piäsentina Beige




Piäsentina Anthracite



Silverstone Grey



Silverstone Beige



Silverstone Anthracite

MATTE

Surface

6mm

Thickness



Slight Variation



Wall



Floor



Indoor



Outdoor



Facade



Commercial

120x360cm / 48x144 inches

STONE


POLISHED SURFACES



Piasentina Grey



Piasentina Beige




Piasentina Anthracite



Silverstone Grey



Silverstone Beige



Silverstone Anthracite



Surface



Thickness



Slight Variation



Wall



Floor



Indoor



Facade



Commercial

120x360cm / 48x144 inches



C-STONE

C-STONE



White
Number of Faces: 2



Beige
Number of Faces: 2



Light Brown
Number of Faces: 2



Dark Brown
Number of Faces: 2



Grey
Number of Faces: 2



Anthracite
Number of Faces: 2



Surface



Thickness



Thickness



Slight Variation



Wall



Floor



Indoor



Outdoor



Facade



Commercial

100x300cm / 40x120 inches
120x360cm / 48x144 inches



HIGHWAY

HIGHWAY



Bone
Number of Faces: 1



Grey
Number of Faces: 1



Bone Decor
Number of Faces: 1



Grey Decor
Number of Faces: 1

MATTE

Surface

3mm

Thickness

5mm

Thickness

V2

Slight Variation



Wall



Floor



Indoor



Outdoor



Facade



Commercial

120x360cm / 48x144 inches



HOLLYWOOD

Beige

HOLLYWOOD



Beige
Number of Faces: 2



Noce
Number of Faces: 2



Brown
Number of Faces: 2



Surface



Glaming



Thickness



Thickness



Slight Variation



Wall



Floor



Indoor



Outdoor



Facade



Commercial

120x360cm / 48x144 inches



HUED

Floor: Dark Grey
Wall: Off White


HUED



Off White
Number of Faces: 2



Beige
Number of Faces: 2




Grey
Number of Faces: 2



Dark Grey
Number of Faces: 2



Mink
Number of Faces: 2



Anthracite
Number of Faces: 2

-  MATTE
Surface
-  Gleaming
-  3mm
Thickness
-  5mm
Thickness
-  V2
Slight Variation

-  Wall
-  Floor
-  Indoor
-  Outdoor
-  Facade
-  Commercial

120x360cm / 48x144 inches



METALLIC

Anthracite

METALLIC



Coral
Number of Faces: 1



Anthracite
Number of Faces: 1

MATTE

Surface

3mm

Thickness

5mm

Thickness

V2

Slight Variation



Wall



Floor



Indoor



Outdoor



Facade



Commercial

100x300cm / 40x120 inches
120x360cm / 48x144 inches




NATURAL STONE

NATURAL STONE



Brera Creme
Number of Faces: 3



Leccese Light Sand
Number of Faces: 3



Leccese Dark Sand
Number of Faces: 3



Leccese Grey
Number of Faces: 3



Pietra Grey
Number of Faces: 3



Pietra Blue
Number of Faces: 3

MATTE

Surface

3mm

Thickness

5mm

Thickness

V2

Slight Variation



Wall



Floor



Indoor



Outdoor




Facade



Commercial

100x300cm / 40x120 inches
120x360cm / 48x144 inches



OXIDO

OXIDO



Ice
Number of Faces: 1



Moss
Number of Faces: 1



Flame
Number of Faces: 1



Oil
Number of Faces: 1

MATTE
Surface

3mm
Thickness

5mm
Thickness

V2
Slight Variation



Wall



Floor



Indoor



Outdoor



Facade



Commercial

100x300cm / 40x120 inches
120x360cm / 48x144 inches



SKETCH

SKETCH



White
Number of Faces: 1



Grey
Number of Faces: 1



Surface



Gleaming



Thickness



Thickness



Slight Variation



Wall



Floor



Indoor



Outdoor



Facade



Commercial

120x360cm / 48x144 inches



TERRAZZO

TERRAZZO



Terrazzo
Number of Faces: 2

MATTE

Surface

3mm

Thickness

5mm

Thickness

V2

Slight Variation



Wall



Floor



Indoor



Outdoor



Facade



Commercial

120x360cm / 48x144 inches



CONCRETE

CONCRETE



Concrete Structured
Number of Faces: 1



Surface



Structured



Thickness



Slight Variation



Wall



Floor



Indoor



Outdoor



Facade



Commercial

120x360cm / 48x144 inches



OCEAN

Floor: White
Wall: Black

OCEAN



White
Number of Faces: 2



Black
Number of Faces: 2



Surface



Gleaming



Thickness



Thickness



Slight Variation



Wall



Floor



Indoor



Outdoor



Facade



Commercial

120x360cm / 48x144 inches



PALLADIUM

PALLADIUM



Copper
Number of Faces: 5

MATTE

Surface

3mm

Thickness

5mm

Thickness

V3

Moderate Variation



Wall



Floor



Indoor



Outdoor



Facade



Commercial

100x300cm / 40x120 inches
120x360cm / 48x144 inches

INNOVATION



White
Orange
Cement Grey
Black

INNOVATION MATTE SURFACES



White



Black



Cement Grey



Dark Grey



Beige



Beige-grey



Mocha



Ivory



Saffron



Orange



Coral



Olive Green



Pistachio
Green



Pebble Grey



Turquoise



Blue



Mega White



Mega Black

MATTE

Surface

3mm

Thickness

5mm

Thickness

V1

Uniform Appearance



Wall



Floor



Indoor



Outdoor



Facade



Commercial

100x300cm / 40x120 inches
120x360cm / 48x144 inches

*Project-based color works are performed under special conditions.
Please obtain information before placing an offer for the procurement of the products.

INNOVATION

POLISHED SURFACES



White



Black



Cement Grey



Dark Grey



Beige



Beige-grey



Mocha



Ivory



Saffron



Orange



Coral



Olive Green



Pistachio Green



Pebble Grey



Turquoise



Blue



Mega White



Mega Black



Surface



Thickness



Thickness



Uniform Appearance



Wall



Floor



Indoor



Facade

100x300cm / 40x120 inches
120x360cm / 48x144 inches

*Project-based color works are performed under special conditions.
Please obtain information before placing an offer for the procurement of the products.



LUXURY CEMENT

LUXURY CEMENT



Ivory
Number of Faces: 1



Sand
Number of Faces: 1



Beige
Number of Faces: 1



Grey
Number of Faces: 1



Mink
Number of Faces: 1



Anthracite
Number of Faces: 1

MATTE
Surface

3mm
Thickness

5mm
Thickness

V2
Slight Variation



Wall



Floor



Indoor



Outdoor



Facade



Commercial

100x300cm / 40x120 inches
120x360cm / 48x144 inches



UPTOWN

Light Structured

UPTOWN



Light
Number of Faces: 2



Dark
Number of Faces: 2

MATTE

Surface



Structured

3mm

Thickness

5mm

Thickness

V2

Slight Variation



Wall



Floor



Indoor



Outdoor



Facade



Commercial

120x360cm / 48x144 inches



WOODLINE

WOODLINE



Oak
Number of Faces: 1



Walnut
Number of Faces: 1



Cherry
Number of Faces: 1

MATTE

Surface

3mm

Thickness

5mm

Thickness

V3

Moderate Variation



Wall



Floor



Indoor



Outdoor



Facade



Commercial

100x300cm / 40x120 inches



HACIÖSMAN


DETAILS

Technical Information & Characteristics

Anti-graffiti

Easy to wipe and clean pollutants like:

- Crayon
- Graffiti
- Permanent marker
- Board marker



Resistant to Abrasion

Living spaces will remain brand new like the first day, after numerous exposure to cleaning chemicals and abrasion.

- Household chemicals. Cleaning liquids (Acidic / Alkaline).
- Bleaching agents.
- Water corrosion.




Microbial Loading (cfu/ml)

| | Start | After 24 hours |
|----------|----------|----------------|
| E-Coli | 5,00E+05 | <10 |
| S.Aureus | 4,30E+05 | <10 |

• Bacteria population decreases to less than 10 units in 24 hours.
According to JISZ2801 method.


Self Clean / Photocatalytic / Outdoor



- Against soot, water marks, dust, fungus, mould, bacteria
- Less maintenance cost
- Always clean&dry outdoor surface


Anti-bacterial

- Protects both outdoor and indoor, even in poorly lit environment.
- Hygienic; resistant to bacteria, mould and fungus.




Technical Information & Characteristics

Water-repellent, Oil-repellent & Anti-graffiti
• Less time and effort to clean up.




Easy Clean / Indoor
• Less consumption of detergents.



Stain-resistant against water marks, food, beverages and bacteria.

- Hygienic bathrooms and kitchens.
- Easy to wipe food stains.





Avrupa Residence Acibadem Atakent Hospital / Istanbul





Irme Electric / Izmir



Deloitte Office / Istanbul

Technical Information & Characteristics

| TS-EN | Technical Specifications |
|-----------------------|---|
| | Weight kg/m ² |
| | Flexibility Radius (m) |
| ISO 10545-2 | Length and Width |
| | Thickness |
| | Rectangularity |
| | Straightness of Sides |
| | Surface Flatness |
| ISO 10545-3 | Water Absorbion |
| ISO 10545-4 | Modules of Rupture (N/mm ²) |
| ISO 10545-5 | Impact Resistance |
| ISO 10545-6 | Resistance to Deep abrasion-Unglazed Tiles Only |
| ISO 10545-8 | Linear Thermal Expansion Coefficient |
| ISO 10545-9 | Resistance to Thermal Shock |
| ISO 10545-12 | Frost Resistance |
| ISO 10545-13 | Resistance to Chemical |
| | Resistance to Low Concantrations of Acids and Alkalis |
| | Unglazed Tiles |
| | Resistance to High Concantrations of Acids and Alkalis |
| | Unglazed Tiles |
| | Resistance to Household Chemicals and Swimming Pool Salts |
| | Unglazed Tiles |
| ISO 10545-14 | Resistance to Staining Matte |
| | Unglazed Tiles |
| | Resistance to Staining Polished |
| | Unglazed Tiles |
| UNI EN ISO 179 / 1998 | Elasticity Module (Mpa) |

| Turkish and European Standard TS-EN 14411 ANNEX-G GL Group Bla | Linea Flex 1000x3000x3 mm | Linea Flex 1000x3000x5 mm | Linea Flex 1000x3000x6 mm |
|---|--------------------------------|--------------------------------|--------------------------------|
| | 7,2 | 11,6 | 14,4 |
| | 5,5 | - | - |
| Requirements for Nominal Size N | | | |
| 7cm ≤ N < 15 cm | N ≥ 15 cm | ± 0.3 % | ± 0.3 % |
| (mm) | (%) | (mm) | |
| ± 0,9 mm | ± 0,6 % | ± 2,0 mm | |
| ± 0,5 mm | ± 5 % | ± 0,5 mm | ± 0.3 % |
| ± 0,75 mm | ± 0,5 % | ± 2,0 mm | ± 0.3 % |
| ± 0,75 mm | ± 0,5 % | ± 1,5 mm | ± 0.3 % |
| ± 0,75 mm | ± 0,5 % | ± 2,0 mm | ± 0.3 % |
| E ≤ % 0,5 Individual Max. %0,6 | E ≤ 0,3 % | E ≤ 0,3 % | E ≤ 0,3 % |
| Min. 35 Individual Min. 32 N/mm ² | > 50 N / mm ² | > 50 N / mm ² | > 50 N / mm ² |
| Test Method Available | Affirmative | Affirmative | Affirmative |
| Max. 175 mm ³ | Ave. / Ort.130 mm ³ | Ave. / Ort.130 mm ³ | Ave. / Ort.130 mm ³ |
| Test Method Available | Affirmative | Affirmative | Affirmative |
| Test Method Available | Affirmative | Affirmative | Affirmative |
| Required | Resistant | Resistant | Resistant |
| Manufacturer to State Classification | Affirmative | Affirmative | Affirmative |
| Test Method Available | Affirmative | Affirmative | Affirmative |
| Min.B | Min. A | Min. A | Min. A |
| Test Method Available | Min. Class | Min. Class | Min. Sinif / Class-3 |
| Test Method Available | Min. Class | Min. Class | Min. Sinif / Class-2 |
| - | 32000 | 32000 | 32000 |

DETERMINATION OF FIRE CLASSIFICATION

TEST STANDARD: EN ISO 1716 REACTION TO FIRE TESTS FOR PRODUCTS –DETERMINATION OF THE GROSS HEAT OF COMBUSTION (CALORIFIC VALUE)

| Description of the sample | Fire classification |
|-------------------------------------|-----------------------|
| Sinterflex Ceramic tiles back mesh | A2 |
| Sinterflex Ceramic tiles plain slab | A1 / A1 _{FL} |

A1: Does not burn at all. No contribution to a fire and none (Insignificant smoke release with no flaming droplets or particles expected)
A2: Partially lit during fire, partially deteriorated, does not transmit fire and has no effect on fire load. There is not a significant contribution to fire growth.
Production of smoke and flaming droplets or particles. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth.

Technical Information & Characteristics

SIZE TABLE

| | | 100x300cm | | | 120x360cm | | |
|-----------|-----------------------------------|---------------|-----|-------|---------------|-----|-----|
| | | 40x120 inches | | | 48x144 inches | | |
| Series | Color | 3mm | 5mm | 6,5mm | 3mm | 5mm | 6mm |
| MARBLES | PALISSANDRO | X | X | X | ✓ | ✓ | X |
| MARBLES | CALACATTA 2.0 | ✓ | X | X | ✓ | X | X |
| MARBLES | LIMESTONE | ✓ | ✓ | X | ✓ | ✓ | X |
| MARBLES | ZEBRINO | X | X | X | ✓ | X | X |
| MARBLES | STATUARIO STRUCTURED | X | X | X | X | ✓ | X |
| MARBLES | CREMA MARFIL | ✓ | X | X | ✓ | X | X |
| MARBLES | TRAVERTINO CLASSICO | ✓ | X | X | ✓ | X | X |
| MARBLES | TRAVERTINO | X | X | X | ✓ | ✓ | X |
| MARBLES | PULPIS 2.0 | X | X | X | ✓ | ✓ | X |
| MARBLES | EMPERADOR | X | X | X | ✓ | ✓ | X |
| MARBLES | MOCHA PERLA | ✓ | ✓ | X | ✓ | ✓ | X |
| MARBLES | ALAMEDA | X | X | X | ✓ | ✓ | X |
| MARBLES | TRANSLUCENT ONYX | ✓ | ✓ | X | X | X | X |
| MARBLES | WINTERLAND | X | X | ✓ | ✓ | ✓ | X |
| MARBLES | CALACATTA GOLD | X | X | ✓ | ✓ | ✓ | X |
| MARBLES | CALACATTA ICE | X | X | ✓ | ✓ | ✓ | X |
| MARBLES | OLIMPO | X | X | ✓ | ✓ | ✓ | X |
| MARBLES | ASTEROID | X | X | ✓ | ✓ | ✓ | X |
| MARBLES | WINTERLAND (POLISHED) | X | X | ✓ | X | X | X |
| MARBLES | CALACATTA GOLD (POLISHED) | X | X | ✓ | X | X | X |
| MARBLES | CALACATTA ICE (POLISHED) | X | X | ✓ | X | X | X |
| MARBLES | OLIMPO (POLISHED) | X | X | ✓ | X | X | X |
| MARBLES | ASTEROID (POLISHED) | X | X | ✓ | X | X | X |
| molstone+ | PIASENTINA GREY | X | X | X | X | X | ✓ |
| molstone+ | PIASENTINA BEIGE | X | X | X | X | X | ✓ |
| molstone+ | PIASENTINA ANTHRACITE | X | X | X | X | X | ✓ |
| molstone+ | SILVERSTONE GREY | X | X | X | X | X | ✓ |
| molstone+ | SILVERSTONE BEIGE | X | X | X | X | X | ✓ |
| molstone+ | SILVERSTONE ANTHRACITE | X | X | X | X | X | ✓ |
| molstone+ | PIASENTINA GREY (POLISHED) | X | X | ✓ | X | X | X |
| molstone+ | PIASENTINA BEIGE (POLISHED) | X | X | ✓ | X | X | X |
| molstone+ | PIASENTINA ANTHRACITE (POLISHED) | X | X | ✓ | X | X | X |
| molstone+ | SILVERSTONE GREY (POLISHED) | X | X | ✓ | X | X | X |
| molstone+ | SILVERSTONE BEIGE (POLISHED) | X | X | ✓ | X | X | X |
| molstone+ | SILVERSTONE ANTHRACITE (POLISHED) | X | X | ✓ | X | X | X |
| C-STONE | WHITE | ✓ | ✓ | X | ✓ | ✓ | X |
| C-STONE | BEIGE | ✓ | ✓ | X | ✓ | ✓ | X |
| C-STONE | LIGHT BROWN | • | ✓ | X | ✓ | ✓ | X |
| C-STONE | DARK BROWN | • | ✓ | X | ✓ | ✓ | X |
| C-STONE | GREY | • | ✓ | X | ✓ | ✓ | X |
| C-STONE | ANTHRACITE | • | ✓ | X | ✓ | ✓ | X |
| HIGHWAY | BONE | X | X | X | ✓ | ✓ | X |
| HIGHWAY | GREY | X | X | X | ✓ | ✓ | X |
| HIGHWAY | BONE DECOR | X | X | X | ✓ | ✓ | X |
| HIGHWAY | GREY DECOR | X | X | X | ✓ | ✓ | X |
| HOLLYWOOD | BEIGE | X | X | X | ✓ | ✓ | X |
| HOLLYWOOD | NOCE | X | X | X | ✓ | ✓ | X |
| HOLLYWOOD | BROWN | X | X | X | ✓ | ✓ | X |
| HUED | OFF WHITE | X | X | X | ✓ | ✓ | X |
| HUED | BEIGE | X | X | X | ✓ | ✓ | X |
| HUED | GREY | X | X | X | ✓ | ✓ | X |
| HUED | DARK GREY | X | X | X | ✓ | ✓ | X |
| HUED | MINK | X | X | X | ✓ | ✓ | X |
| HUED | ANTHRACITE | X | X | X | ✓ | ✓ | X |

• Production is subject to a minimum order quantity. Please inquire

| | | 100x300cm | | | 120x360cm | | |
|---------------|--------------------|---------------|-----|-------|---------------|-----|-----|
| | | 40x120 inches | | | 48x144 inches | | |
| Series | Color | 3mm | 5mm | 6.5mm | 3mm | 5mm | 6mm |
| METALLIC | CORAL | • | ✓ | X | X | ✓ | X |
| METALLIC | ANTHRACITE | • | ✓ | X | X | ✓ | X |
| NATURAL STONE | BRERA CREME | ✓ | ✓ | X | ✓ | ✓ | X |
| NATURAL STONE | LECCESE LIGHT SAND | ✓ | ✓ | X | ✓ | ✓ | X |
| NATURAL STONE | LECCESE DARK SAND | ✓ | ✓ | X | ✓ | ✓ | X |
| NATURAL STONE | LECCESE GREY | ✓ | ✓ | X | ✓ | ✓ | X |
| NATURAL STONE | PIETRA GREY | ✓ | • | X | ✓ | ✓ | X |
| NATURAL STONE | PIETRA BLUE | ✓ | • | X | ✓ | ✓ | X |
| OXIDO | ICE | ✓ | ✓ | X | ✓ | ✓ | X |
| OXIDO | MOSS | ✓ | ✓ | X | ✓ | ✓ | X |
| OXIDO | FLAME | • | ✓ | X | ✓ | ✓ | X |
| OXIDO | OIL | • | ✓ | X | ✓ | ✓ | X |
| SKETCH | WHITE | X | X | X | ✓ | ✓ | X |
| SKETCH | GREY | X | X | X | X | ✓ | X |
| TERRAZZO | TERRAZZO | X | X | X | X | ✓ | X |
| CONCRETE | STRUCTURED MATTE | X | X | X | X | ✓ | X |
| OCEAN | WHITE | X | X | X | ✓ | ✓ | X |
| OCEAN | BLACK | X | X | X | ✓ | ✓ | X |
| PALLADIUM | COPPER | X | X | X | X | ✓ | X |
| INNOVATION | WHITE | ✓ | ✓ | X | ✓ | ✓ | X |
| INNOVATION | BLACK | ✓ | ✓ | X | ✓ | ✓ | X |
| INNOVATION | CEMENT GREY | ✓ | ✓ | X | ✓ | ✓ | X |
| INNOVATION | DARK GREY | ✓ | ✓ | X | ✓ | ✓ | X |
| INNOVATION | BEIGE | ✓ | • | X | ✓ | ✓ | X |
| INNOVATION | BEIGE GREY | ✓ | ✓ | X | ✓ | ✓ | X |
| INNOVATION | MOCHA | • | ✓ | X | ✓ | ✓ | X |
| INNOVATION | IVORY | ✓ | ✓ | X | ✓ | ✓ | X |
| INNOVATION | SAFFRON | ✓ | ✓ | X | ✓ | ✓ | X |
| INNOVATION | ORANGE | ✓ | ✓ | X | ✓ | ✓ | X |
| INNOVATION | CORAL | ✓ | ✓ | X | ✓ | ✓ | X |
| INNOVATION | OLIVE GREEN | ✓ | ✓ | X | ✓ | ✓ | X |
| INNOVATION | PISTACHIO GREEN | ✓ | ✓ | X | ✓ | ✓ | X |
| INNOVATION | PEBBLE GREY | ✓ | ✓ | X | ✓ | ✓ | X |
| INNOVATION | TURQUOISE | ✓ | ✓ | X | ✓ | ✓ | X |
| INNOVATION | BLUE | ✓ | ✓ | X | ✓ | ✓ | X |
| INNOVATION | MEGA WHITE | • | ✓ | X | ✓ | ✓ | X |
| INNOVATION | MEGA BLACK | • | ✓ | X | ✓ | ✓ | X |
| LUXURY CEMENT | IVORY | ✓ | ✓ | X | ✓ | ✓ | X |
| LUXURY CEMENT | SAND | ✓ | ✓ | X | ✓ | ✓ | X |
| LUXURY CEMENT | BEIGE | ✓ | ✓ | X | ✓ | ✓ | X |
| LUXURY CEMENT | GREY | ✓ | ✓ | X | ✓ | ✓ | X |
| LUXURY CEMENT | MINK | ✓ | ✓ | X | ✓ | ✓ | X |
| LUXURY CEMENT | ANTHRACITE | ✓ | ✓ | X | ✓ | ✓ | X |
| UPTOWN | LIGHT | X | X | X | ✓ | ✓ | X |
| UPTOWN | DARK | X | X | X | ✓ | ✓ | X |
| WOODLINE | OAK | ✓ | ✓ | X | X | X | X |
| WOODLINE | WALNUT | ✓ | ✓ | X | X | X | X |
| WOODLINE | CHERRY | ✓ | ✓ | X | X | X | X |

• Production is subject to a minimum order quantity. Please inquire

CLOSED BOX-PALLET PACKING DETAILS

| PRODUCT DIMENSIONS | BOX DIMENSIONS | PRODUCT GROUP | CLOSED BOX - PALLET DETAILS (PER BOX) | |
|--------------------|----------------|---------------|---------------------------------------|--------------|
| | | | NUMBER OF PRODUCTS | SQUAREMETERS |
| cm | cm | | | |
| 120x360 | 131x375x30 | 3MM PLAIN | 32 | 138,24 |
| | | 3MM FIT | 28 | 120,96 |
| | | 5MM PLAIN | 20 | 86,40 |
| | | 5MM FIT | 18 | 77,76 |
| | | 3+3 LAMINEX | 14 | 60,48 |
| | | 5+5 LAMINEX | 9 | 38,88 |
| 100x300 | 111x315x30 | 3MM PLAIN | 32 | 96 |
| | | 3MM FIT | 28 | 84 |
| | | 5MM PLAIN | 20 | 60 |
| | | 5MM FIT | 18 | 54 |
| | | 3+3 LAMINEX | 14 | 42 |
| | | 5+5 LAMINEX | 9 | 27 |
| 100x150 | 111x165x30 | 3MM PLAIN | 32 | 48 |
| | | 3MM FIT | 28 | 42 |
| | | 5MM PLAIN | 20 | 30 |
| | | 5MM FIT | 18 | 27 |
| | | 3+3 LAMINEX | 14 | 21 |
| | | 5+5 LAMINEX | 9 | 14 |
| 100x100 | 111x111x30 | 3MM PLAIN | 32 | 32 |
| | | 3MM FIT | 28 | 28 |
| | | 5MM PLAIN | 20 | 20 |
| | | 5MM FIT | 18 | 18 |
| | | 3+3 LAMINEX | 14 | 14 |
| | | 5+5 LAMINEX | 9 | 9 |
| 50x150 | 111x165x30 | 3MM PLAIN | 64 | 48 |
| | | 3MM FIT | 56 | 42 |
| | | 5MM PLAIN | 40 | 30 |
| | | 5MM FIT | 36 | 27 |
| | | POLISHED | 40 | 30 |
| | | 3+3 LAMINEX | 28 | 21 |
| 50x300 | 111x315x30 | 3MM PLAIN | 64 | 96 |
| | | 3MM FIT | 56 | 84 |
| | | 5MM PLAIN | 40 | 60 |
| | | POLISHED | 40 | 60 |
| | | 5MM FIT | 36 | 54 |
| | | 3+3 LAMINEX | 28 | 42 |
| 50x100 | 111x111x30 | 3MM PLAIN | 64 | 32 |
| | | 3MM FIT | 56 | 28 |
| | | 5MM PLAIN | 40 | 20 |
| | | POLISHED | 40 | 20 |
| | | 5MM FIT | 36 | 18 |
| | | 3+3 LAMINEX | 28 | 14 |
| 50x50 | 111x111x30 | 3MM PLAIN | 128 | 32 |
| | | 3MM FIT | 112 | 28 |
| | | 5MM PLAIN | 80 | 20 |
| | | POLISHED | 80 | 20 |
| | | 5MM FIT | 72 | 18 |
| | | 3+3 LAMINEX | 56 | 14 |
| 20x150 | 111x165x30 | 3MM PLAIN | 160 | 48 |
| | | 3MM FIT | 140 | 42 |
| | | 5MM PLAIN | 100 | 30 |
| | | 5MM FIT | 90 | 27 |
| | | 3+3 LAMINEX | 70 | 21 |
| | | 5+5 LAMINEX | 45 | 14 |

SHADE VARIATION

The color shade or shades of all tiles varies to some degree from piece to piece, from each production run to run. At least several pieces from the same production should be reviewed whenever possible to determine acceptable color shade variations. Any questions or concerns about your tile selection should be clarified prior to installation.


V1= UNIFORM APPEARANCE: Differences among pieces from the same production run are minimal.

V2= SLIGHT VARIATION: Clearly distinguishable differences in texture and/or pattern within similar colors.

V3= MODERATE VARIATION: While the colors present on a single piece of tile will be indicative of the colors to be expected on the other tiles, the amount of colors on each piece may vary significantly. For example "that little bit of color" on one piece of tile may be the primary color on the next piece.

V4= RANDOM VARIATION: Random color differences occur from tile to tile, so that one tile may have totally different colors from that on other tiles.

Thus, the final installation will be unique.



DistriMosaic



www.distrimosaic.com



info@distrimosaic.com



Istanbul / Turkey